

RECEIVED  
CENTRAL FAX CENTER

OCT 05 2006

Appl. No.10/765,752  
Reply to Office Action of July 25, 2006**WHAT IS CLAIMED IS:**

1. – 11. (Canceled)

12. (Currently Amended) ~~An optical communication module according to claim~~

1,

An optical communication module for performing single-core bi-directional communication, comprising:

an optical fiber;

a light-emitting element for emitting light; and

a photoreceptor element for receiving light,

wherein said optical fiber has an end face at one end, said end face having an angled portion forming a reflecting surface;

wherein either one of said light-emitting element and said photoreceptor element is arranged adjacent to an end of the fiber along an axis of light propagation and faces said end face of said optical fiber, and the other of said light-emitting element and said photoreceptor element is arranged adjacent an outer surface of said optical fiber in a radial direction from the center of the optical fiber and faces said reflecting surface; and wherein said photoreceptor element is arranged outside a maximum diffusion range of the light emitted from said light-emitting element, and

wherein said end face of said optical fiber further includes a non-angled portion.

Appl. No.10/765,752  
Reply to Office Action of July 25, 2006

13. (Previously Presented) An optical communication module according to claim 12, wherein said angled portion includes a portion of an end face of a core of said optical fiber.

14. (Previously Presented) An optical communication module according to claim 13, wherein said photoreceptor is arranged adjacent an outer surface of said optical fiber in a radial direction from the center of the optical fiber and faces the reflecting surface and is positioned along said outer surface such that the photoreceptor is substantially beneath the angled portion of the end face of said optical fiber.

15. (Previously Presented) An optical communication module according to claim 12, wherein said angled portion of the end face of said optical fiber further includes a film formed over a surface thereof for improving the reflecting efficiency of the reflecting surface, and further wherein the non-angled portion of the end face does not include such a film.

16. (Currently Amended) ~~A connector incorporating an optical communication module according to claim 9,~~

A connector incorporating an optical communication module, said optical communication module comprising:

a circuit for performing conversion between an electric signal and an optical signal;

an optical fiber;

AppL No.10/765,752  
Reply to Office Action of July 25, 2006

a light-emitting element for emitting light; and  
a photoreceptor element for receiving light,  
wherein said optical fiber has an end face at one end, said end face having an  
inclined part to form a reflecting surface;  
wherein either one of said light-emitting element and said photoreceptor element  
is arranged adjacent to an end of the fiber along an axis of light propagation and faces  
said end face of said optical fiber, and the other of said light-emitting element and said  
photoreceptor element is arranged adjacent an outer surface of said optical fiber in a  
radial direction from the center of the optical fiber and faces said reflecting surface; and  
wherein said photoreceptor element is arranged outside a maximum diffusion  
range of the light emitted from said light-emitting element, and  
wherein said end face of said optical fiber further includes a non-angled portion.

17. (Previously Presented) A connector incorporating an optical communication module according to claim 16, wherein said angled portion includes a portion of an end face of a core of said optical fiber.

18. (Previously Presented) A connector incorporating an optical communication module according to claim 17, wherein said photoreceptor is arranged adjacent an outer surface of said optical fiber in a radial direction from the center of the optical fiber and faces the reflecting surface and is positioned along said outer surface such that the photoreceptor is substantially beneath the angled portion of the end face of said optical fiber.

Appl. No.10/765,752  
Reply to Office Action of July 25, 2006

19. (Previously Presented) A connector incorporating an optical communication module according to claim 16, wherein said angled portion of the end face of said optical fiber further includes a film formed over a surface thereof for improving the reflecting efficiency of the reflecting surface, and further wherein the non-angled portion of the end face does not include such a film.